

RADON WARNING LABEL

CODE REQUIREMENT

Radon system labels as required by **2012 BC Building Code Section 9.13.4.3.3.b.iii.** are now available from the Canadian Home Builders' Association of BC (CHBA BC) thanks to a partnership with the BC Lung Association's **RadonAware** program.

2012 BC Code Section 9.13.4.3.3.b.iii. requires the pipe be clearly labeled near the cap and, if applicable, every 1.8 m and at every change in direction to indicate that it is intended only for the removal of radon from below the floor-on-ground.

For readability and durability, the labels are black on yellow vinyl, wide enough to wrap around a standard 100mm pipe to adhere to itself.



To pick up labels or arrange delivery, please contact your nearest CHBA local affiliate.

CHBA - Okanagan

#216 - 1884 Spall Road
Kelowna, BC, V1Y 4R1
Tel: 250-861-3988
Fax: 250-861-3950
E-mail: sherri@chbaokanagan.ca
www.chbaokanagan.ca

CHBA - South Okanagan

104 Dunant Crescent
Penticton, BC, V2A 3E9
Tel: 250-493-0001
Fax: 250-493-4475
E-mail: chbaso@shaw.ca
www.chbaso.org

CHBA - Rocky Mountain

P.O. Box 2602
Fernie, BC
VOB 1M0
Tel: 250-420-1102
E-mail: info@chbarm.com
www.chbarm.com

CHBA – Fraser Valley

P. O. Box 365
Abbotsford, BC V2T 6Z6
Tel: 604-755-9306
Fax: 604-755-0223
E-mail: christy@chbafv.com
www.chbafv.com

CHBA – Central Interior

921C Laval Crescent
Kamloops, BC V2C 5P4
Tel: 250-828-1844
Fax: 250-828-6611
E-mail: info@chbaci.ca
www.chbaci.ca

CHBA – Northern BC

#300 1705 3rd Avenue
Prince George, BC V2L 3G7
Tel: 250-563-3306
Fax: 250-563-3815
E-mail: admin@chbanorthernbc.ca
www.chbanorthernbc.ca